

Komunica Power Accessories

Battery Catalogue



Komunica Power
Battery Catalogue
2024

BATTERY CATALOGUE 2024



Discover Komunica selection of batteries

Top Quality
The Best Service



Table of contents

BATTERIES:	
• Sepura Compatibility	04
• Airbus / Eads / Cassidian Compatibility	04
• Motorola Compatibility	06
• Icom Compatibility	12
• Harris Compatibility	17
• Kenwood Compatibility	18
• Hytera Compatibility	22
• Vertex / Yaesu Compatibility	24
• Other Brands	28
COMPATIBLE CHARGERS	32
CRANE BATTERIES	36
BELT-CLIPS WALKIE-TALKIES	38
BATTERY HOLDERS	39



Sepura & Airbus Compatibility



**SRP-9100-H**

VOLTAGE: 7.2V

CAPACITY: 2700mAh

TYPE: Ni-Mh

SRP-9100-Li

VOLTAGE: 7.2V

CAPACITY: 3000mAh

TYPE: Li-Ion

SRP-9120 / 9130**SRP-2000-Li***SRC3300 / SRG3500 / SRH3500
/ SRH3800 / SRH3900 / SRM3 /
SRM3500 / SRP2000 / SRP3000*

VOLTAGE: 7.2V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 8.10 * 5.75 * 1.50

**STP-9000-Li***SC-2020 / 2024**STP-8000 / 8020 / 8030 / 8035 /
8038 / 8040 / 8080 / 8100 / 8200 /
9000 / 9035 / 9038 / 9040 / 9080
/ 9100 / 9200 / STS8000 / etc.*

VOLTAGE: 7.4V

CAPACITY: 1880mAh

TYPE: Li-Pol

DIMENSION: 7.5 * 5.4 * 1.8

SEPURA

AIRBUS EADS CASSIDIAN

**AIR-HR700***TPH-700 / P3G*

VOLTAGE: 7.4V

CAPACITY: 2170mAh

TYPE: Li-Ion

DIMENSION: 10.8 * 3.65 * 1.42

**AIR-MR900***THP-900*

VOLTAGE: 3.7V

CAPACITY: 4400mAh

TYPE: Li-Ion

DIMENSION: 11.5 * 5.48 * 1.80

Motorola Compatibility



**AP-300-H / HNN9628**

CP250 / 450 / 450LS / GP300 / 308 / 600 /
88 / 88S / GT-2050 / GTX LTR PORTABLE
/ PRIVACY PLUS PORTABLE / 800 / 900 /
LCS2000 / LTS2000 / MTX638 / P040 / P080 /
PRO3150 / PTX600

VOLTAGE: 7.2V

CAPACITY: 1800mAh

TYPE: Ni-Mh

DIMENSION: 14.08 * 5.88 * 2.30

**AP-318-Li / HNN9013**

GP-140 / 240 / 280 / 320 / 330 / 338 / 340 / 360 / 380 / 580 / 640 PRO SERIES HT-750 / 1250 / 1550 /
MTX450 / 900 / 960 / PRO5150 / 5550 / 7150 / 9150

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 12.37 * 5.95 * 1.93

**AP-328-H / HNN9008**

GP-140 / 240 / 280 / 320 / 330 / 338 / 340 / 360 / 380 / 580 / 640 PRO SERIES HT-750 / 1250 / 1550 /
MTX450 / 900 / 960 / PRO5150 / 5550 / 7150 / 9150

VOLTAGE: 7.2V

CAPACITY: 1800mAh

TYPE: Ni-Mh

DIMENSION: 12.37 * 5.95 * 1.93

**AP-2000-H / NTN7144**

GP-900 / 1200 / HT-1000 / MT-2000 / MTX-2000 / 8000 / 9000 / 838 / MTS-2000 / MTZ-2000

VOLTAGE: 7.2V

CAPACITY: 2000mAh

TYPE: Ni-Mh

DIMENSION: 15.40 * 5.95 * 2.39

**AP-2000-Li / NTN7144**

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 15.40 * 5.95 * 2.39

AP-4002-H / HKNN4002A

TALKABOUT / T-82 / T-82-Extreme / T-62 /
T-5320 / 5400 / 5420 / 5522 / 5600 / 5620 /
5700 / 5710 / 5720 / 5800 / 5820

VOLTAGE: 3.6V

CAPACITY: 1800mAh

TYPE: Ni-Mh

DIMENSION: 5.00 * 4.28 * 1.44



AP-4003-H / IXNN4002A

TLRK-T50 / T60 / T70 / T80

VOLTAGE: 4.8V

CAPACITY: 700mAh

TYPE: Ni-Mh

DIMENSION: 4.60 * 4.20 * 1.16



AP-4023-Li / JMNN4023R

*PROS150 ELITE / GL-2000 / GP-328PLUS /
344 / 388 / 688 / EX-500/600*

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 9.15 * 6.06 * 2.10



AP-4047-H / PMNN4047

MTP-700 / MTP-750

VOLTAGE: 7.2V

CAPACITY: 1800mAh

TYPE: Ni-Mh

DIMENSION: 10.2 * 5.8 * 2.15

AP-4103-Li-SMART / PMNN4103

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 13.00 * 5.44 * 2.33

AP-4066-Li / PMNN4066

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 13.00 * 5.44 * 2.33

AP-4065-H / PMNN4065

VOLTAGE: 7.2V

CAPACITY: 1800mAh

TYPE: Ni-Mh

DIMENSION: 13.00 * 5.44 * 2.33

*MOTOTRBO / XPR / 6300 / 6350 / 6500 / 6550
MOTOTRBO DP-3600 / 3601 / 3400 / 3401
P-6000 / 6620 / 8200 / 8260 / 8268 / DR3000 /
DGP4150 / DGP4150+ / DGP6150 / DGP6150+*

Intelligent Battery

AP-4103-Li-SMART*



Intelligent Battery

AP-4491-LI-SMART*



AP-4491-LI-SMART (Intelligent)

VOLTAGE: 7.4V

CAPACITY: 2600mAh

TYPE: Li-Pol

DIMENSION: 11.40 * 5.56 * 2.43

AP-4412-H / PMNN4412

VOLTAGE: 7.2V

CAPACITY: 2200mAh

TYPE: Ni-Mh

DIMENSION: 11.40 * 5.56 * 2.43

AP-4416-Li / PMNN4416

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 11.40 * 5.52 * 1.75

DP-4000 / 4400 / 4401 / 04600 / 4601 / 4800
/ 4801 / 6401 / XPR3000 / 3300 / 3500 / 7000
/ 7350 / 7550

DP-2400 / 2600

Intelligent Battery

AP-4502-LI-SMART*



AP-4440-Li / PMNN4440

DP-3441-E / DP-3661-E / DGP8050E /

XiR-E8600 / XiR-E8608 / XiR E8628i / XiR-E8668

VOLTAGE: 7.4V

CAPACITY: 1800mAh

TYPE: Li-Ion

DIMENSION: 9.58 * 6.06 * 1.46

AP-4502-LI-SMART / NNTN4502

VOLTAGE: 7.4V

CAPACITY: 2600mAh

TYPE: Li-Ion

DIMENSION: 9.58 * 6.06 * 2.40

AP-4453-Li / PMNN4453

XT420 / XT460 / XT225 / RMM2050 /
RMU2080 / RMU2040 / RMU2043 /
RMU2080D / RMV50 / P16S

VOLTAGE: 3.7V

CAPACITY: 3350mAh

TYPE: Li-Ion

DIMENSION: 10.9 * 5.20 * 2.20

AP-4807-Li-SMART

R7 Series

VOLTAGE: 7.4V
CAPACITY: 2270mAh
TYPE: Li-Ion
DIMENSION: 11.6*5.55*2.02

AP-4808-Li

R7 Series

VOLTAGE: 7.4V
CAPACITY: 2540mAh
TYPE: Li-Ion
DIMENSION: 11.6*5.55*2.60

AP-4810-Li-SMART

R7 Series

VOLTAGE: 7.4V
CAPACITY: 3200mAh
TYPE: Li-Ion
DIMENSION: 11.6*5.55*2.60

Intelligent Battery

AP-4807-Li-SMART*
AP-4810-Li-SMART*

Li-Ion Battery

AP-4808-Li*



AP-4497-Li / NNTN4497

CP-040 / 110 / 140 / 150 / 200 /
EP-450 / GP3188 / 3688 / PR400
/ DP-1400 / RDU-220

VOLTAGE: 7.4V
CAPACITY: 2600mAh
TYPE: Li-Ion
DIMENSION: 12.10 * 6.02 * 2.40

AP-4851-H / NNTN4851

CP-040 / 140 / 150 / 200 /
EP-450 / GP3188 / 3688 / PR400
/ DP-1400

VOLTAGE: 7.2V
CAPACITY: 1800mAh
TYPE: Ni-Mh
DIMENSION: 12.12 * 6.00 * 2.11

AP-4970-Li / NNTN4970

CP-040 / CP140 / CP160 / CP180
/ CP200d / DP1400 / PR400
radios

VOLTAGE: 7.4V
CAPACITY: 2000mAh
TYPE: Li-Ion
DIMENSION: 12.10 * 6.03 * 1.86

AP-4468-Li MNN4468

SL300 / SL1600 / SL2600 /
SL3500e / SL4000E / SL4010E / SL
7550 / SL 7580 / SL 7590 / SL8000 /
EVX-S24

VOLTAGE: 3.7V
CAPACITY: 2300mAh
TYPE: Li-Ion
DIMENSION: 5.36*3.52*1.21





AP-5705-Li
NNTN4655B

*MTH-650 / 800 / DTR-510 / 550 /
610 / 620 / 650*

VOLTAGE: 3.7V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 5.64 * 3.53 * 1.12



AP-6305-Li
RLN-6305

*RDX CP110 / RDU4100 /
RDU4160D / RDV5100 /
RDU2020D / RDU2080D
handheld radio*

VOLTAGE: 7.4V

CAPACITY: 2200mAh

TYPE: Li-Ion

DIMENSION: 11.3 * 5.32 * 2.35



AP-8023-Li / NNTN8023B

*MTP-3000 / 3100 / 3150 / 3200 / 3250 / 3500 / 3550 / 6000 / 6550 / 6650
/ 6750 / etc...*

VOLTAGE: 3.7V

CAPACITY: 2200mAh

TYPE: Li-Ion

DIMENSION: 10.3 * 5.1 * 1.6



AP-6574-Li
FTN6574

MTP-800 / 850 / CEP-400

VOLTAGE: 3.7V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 7.80 * 4.60 * 1.47



AP-7395-H
NTN7395

VISAR

VOLTAGE: 7.2V

CAPACITY: 1800 & 2000mAh

TYPE: Ni-Mh

DIMENSION: 10.3 * 5.74 * 2.46



BT-90-K-PWR

*CLP1010 / CLP1040 / CLP1060
/ CLP446 / DLR1020 / DLR1060
/ SL4000 / SL4000e / SL4010
/ SL4010e / SL7000 / SL7000e
/ SL7550 / SL7550e / SL7580
/ SL7580e / SL7590 / SL7590e /
XPR7550*

VOLTAGE: 3.7V

CAPACITY: 1800mAh

TYPE: Li-Ion

DIMENSION: 5.35 * 3.57 * 0.96



GP-2000-H
PMNN4052A

*GP-2000 / P020 / P030 / 2150
/ CP-125*

VOLTAGE: 7.2V

CAPACITY: 2000mAh

TYPE: Ni-Mh

DIMENSION: 11.50 * 5.74 * 2.2

Icom Compatibility



Highlights for Icom



BP-264-H

IC-V80 / V80E / U80E / V80 / G80 / S70 / T70A
/ T70E / F3001 / F3002 / F3003 / F3008 / 3101
/ F3108D / F4001 / F4002 / F4003 / F4008 /
F4108D / 4101

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Ni-Mh

DIMENSION: 10.51 * 5.87 * 2.20

BP-265-Li

IC-V80 / IC-G80 / F3001 / F4001 / F3101 / F4101
/ F3210 / F4210 / F4210D / F3210D / IC-F4103D
Radios / IC-T70E

VOLTAGE: 7.4V

CAPACITY: 2200mAh

TYPE: Li-Ion

DIMENSION: 10.51 * 5.87 * 2.20



BP-140-H

IC-F30 / F35 / F40 / F45

VOLTAGE: 7.2V

CAPACITY: 2100mAh

TYPE: Ni-Mh

DIMENSION: 10.68 * 6.03 * 2.20



BP-160-H

IC-W21 / IC-X21 / IC-2 / 4GX / IC-3GX / IC-M10
/ 40GX / F10 / F20

VOLTAGE: 7.2V

CAPACITY: 2200mAh

TYPE: Ni-Mh

DIMENSION: 5.30 * 5.68 * 3.76



BP-166-H

IC-A3 / A3E / A22 / A22E

VOLTAGE: 12V

CAPACITY: 1100mAh

TYPE: Ni-Mh

DIMENSION: 7.37 * 5.70 * 3.50

BP-210-H

IC-F3GT / F4GT / F11 / F12 / F21 / F22 / F30 / F31
/ F40 / F41 / IC-A6E / IC-A24E

VOLTAGE: 7.2V

CAPACITY: 1800mAh

TYPE: Ni-Mh

DIMENSION: 12.07 * 5.40 * 2.60



BP-180-H

IC-W32 / T-22 / T42 / T7H

VOLTAGE: 7.2V

CAPACITY: 1100mAh

TYPE: Ni-Mh

DIMENSION: 7.58 * 5.63 * 2.02



BP-196-H

IC-A4 / IC-F3 / F4 / IC-3FX / IC-T2H

VOLTAGE: 9.6V

CAPACITY: 1800mAh

TYPE: Ni-Mh

DIMENSION: 13.53 * 5.78 * 2.20



BP-217-Li

IC-E90 / IC-T90A / etc

VOLTAGE: 7.4V

CAPACITY: 1400mAh

TYPE: Li-Ion

DIMENSION: 4.85 * 5.80 * 2.10



BP-232-Li

IC-F14 / F16 / F24 / F25 / F26 / F33 / F43 / F34
/ F43 / F44 / F16 / F26 / F33 / F43 / F3020 /
F3060 / F4161 / F3021 / 3023 / ICF-3161 / 3262 /
ICF-4021 / 4262-DT

VOLTAGE: 7.4V

CAPACITY: 2200mAh

TYPE: Li-Ion

DIMENSION: 9.13 * 5.64 * 2.10



BP-227-Li

IC-60 V / IC-E85 / IC-F50 / IC-F50 V / IC-F51 /
IC-F60 / IC-F61 / IC-M87 / IC-M88 ICO / ICF51
V / ICF61 V / ICV85

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 9.13 * 5.64 * 2.10



BP-252-Li

ICOM IC-M2A / IC-M21 / M31 / M32 / M33
/ M34 / M35 / M36 / IC-M90 / M90E / IC-
GM1600 / GM1600E

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 12.24 * 5.82 * 1.96



BP-256-Li

IC-92AD / E92D / ID-92

VOLTAGE: 7.4V

CAPACITY: 1400mAh

TYPE: Li-Ion

DIMENSION: 6.25 * 2.10 * 4.98

BP-279-Li

IC-F1000/1000S/1000T/IC-F2000/2000S
/2000T/IC-A16/IC-F29SR2/F29SDR/
F29DR2

VOLTAGE: 7.2V

CAPACITY: 1500mAh

TYPE: Li-Ion

DIMENSION: 10.45 * 5.2 * 1.6



BP-280-Li

IC-F1000/1000S/1000T/IC-F2000/2000S
/2000T/IC-A16/IC-F29SR2/F29SDR/
F29DR2

VOLTAGE: 7.2V

CAPACITY: 2400mAh

TYPE: Li-Ion

DIMENSION: 10.45 * 5.2 * 1.75



BP-272-Li

ID-31A/ID-31E/ID-51E/etc.
IC-31A/IC-31E/IC-51A/IC-51E/IP-100-H/etc

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 8.68 * 5.70 * 1.50



BP-288-Li

IC-A25NE/IC-A25CE

VOLTAGE: 7.2V

CAPACITY: 2350mAh

TYPE: Li-Ion

DIMENSION: 13.60 * 5.90 * 1.50

Harris Compatibility



Harris

BT-003-H

VOLTAGE: 7.2V

CAPACITY: 2700mAh

TYPE: Ni-Mh

DIMENSION: 11.44 * 6.18 * 2.66

BT-003-Li

VOLTAGE: 7.4V

CAPACITY: 2200/2600/3400 mAh

TYPE: Li-Ion

DIMENSION: 11.44 * 6.18 * 2.66

*P-5300 / 5370 / 5400 / 5450 / 5470 / 7300 /
7350 / 7370*

Kenwood Compatibility



**KNB-12-H**

TK-250 / TK-350 / TK-430 / TK-431

VOLTAGE: 7.2V

CAPACITY: 1800mAh

TYPE: Ni-Mh

DIMENSION: 7.60 * 5.80 * 3.00

**KNB-14-H**

*TK-3101 / TK-2107 / TK-3107 / TK-260 / TK-360 /
TK-270 / TK-370 / TK-278 / TK-378*

VOLTAGE: 7.2V

CAPACITY: 1800mAh

TYPE: Ni-Mh

DIMENSION: 10.68 * 6.03 * 2.20

**KNB-15-H**

*TK260 / TK270 / TK360 / TK370 / TK272 /
TK372 / TK-3101*

VOLTAGE: 7.2V

CAPACITY: 1800mAh

TYPE: Ni-Mh

DIMENSION: 10.68 * 6.03 * 2.20

**KNB-17-H**

*TK-280 / TK-380 / TK-480 / TK-481 / TK-190 /
TK-180 / TK-280 / TK-290 / TK-390 / TK-5400
/ TK-385*

VOLTAGE: 7.2V

CAPACITY: 2000mAh

TYPE: Ni-Mh

DIMENSION: 11.05 * 5.84 * 2.10

**KNB-29-H**

*TK-2200 / 2201 / 2202 / 2206 / 2207 / 2212
/ 2217 / 2302 / 2306 / 2307 / 3200 / 3201 /
3202 / 3207 / 3217 / 3502 / 3301 / 3302 / 3307
/ 3401 / etc*

VOLTAGE: 7.2V

CAPACITY: 1800mAh

TYPE: Ni-Mh

DIMENSION: 11.50 * 5.45 * 1.80

**KNB-33-Li**

*TK-2180 / TK-3180 / TK-5210 / 5310 / TK-5410 /
NX-210 / NX-410*

VOLTAGE: 7.4V

CAPACITY: 2200mAh

TYPE: Li-Ion

DIMENSION: 11.15 * 5.40 * 1.90



KNB-45-Li

TK-2200 / 2201 / 2202 / 2206 / 2207 / 2212 / 2217 / 2302 / 2306 / 2307 / 2312 / 3200 / 3201 / 3202 / 3207 / 3217 / 3312 / 3502 / 3301 / 3302 / 3307 / 3401D / TK-3701D / TK-D240 / TK-D340 / NX-1300DE3 / etc.

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 11.15 * 5.40 * 1.90



KNB-57-Li

TK-2140 / TK-2148 / TK-2160 / TK-2168 / TK-2170 / TK-3140 / TK-3148 / TK-3160 / TK-3168 / TK-3170 / TK-2360 / TK-3360 / NX-220 / NX-320 / NX-3200 / 3300 / 3220 / 3320

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 10.10 * 5.59 * 1.75



KNB-63-Li

TH-K20 / TH-K40 / TK-2000 / TK-3000 / TK-U100 / TK-3401 / TK-3501

VOLTAGE: 7.4V

CAPACITY: 1500mAh

TYPE: Li-Ion

DIMENSION: 9.17 * 5.37 * 1.72



KNB-71-Li

PKT-23K

VOLTAGE: 3.7V

CAPACITY: 1400mAh

TYPE: Li-Ion

DIMENSION: 5.5 * 3.6 * 0.95



KNB-75-Li

TH-D74E / TH-D74A

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 9.18 * 5.62 * 1.51



KNB-81-Li

TK-3601D
NX-P500

VOLTAGE: 3.7V

CAPACITY: 2270mAh

TYPE: Li-Ion

DIMENSION: 5.64 * 3.44 * 1.08

**PB-32-H**

TH-22AT / 42AT / 79A / 208 / 308

VOLTAGE: 6V

CAPACITY: 1100mAh

TYPE: Ni-Mh

DIMENSION: 6.28 * 5.62 * 1.83

**PB-34-H**

TH-22 / TH-42 / TH-79

VOLTAGE: 9.6V

CAPACITY: 1100mAh

TYPE: Ni-Mh

DIMENSION: 9.00 * 5.59 * 2.44

**PB-42-Li**

TH-FTE / F6A / F7E

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 8.10 * 5.80 * 1.64

**PB-43-H**

TH-K2 / K4

VOLTAGE: 7.2V

CAPACITY: 1300mAh

TYPE: Ni-Mh

DIMENSION: 10.10 * 5.81 * 1.72

**UPB-1-H**

UPB-2 / UPB-1 / 1H / UBZ-LF14 / UBZ-GM14 / UBZ-LF14FRS / UBZ-LH14

VOLTAGE: 7.2V

CAPACITY: 1800mAh

TYPE: Ni-Mh

DIMENSION: 5.21 * 4.55 * 1.42

Hytera Compatibility



AP-75-NI-HYT

TC-446 / 500

VOLTAGE: 6V
CAPACITY: 1600mAh
TYPE: Ni-Mh
DIMENSION: 9.25 * 5.36 * 2.14



AP-BH1801-NI-HYT

TC-700 / 780 / 710 / 700P / 780M

VOLTAGE: 7.2V
CAPACITY: 1800mAh
TYPE: Ni-Mh
DIMENSION: 11.02 * 5.63 * 2.27



AP-BL2102-Li-HYT

TC-700P / 780 / 710 / 700P / 780M

VOLTAGE: 7.4V
CAPACITY: 2000mAh
TYPE: Li-Ion
DIMENSION: 11.02 * 5.63 * 2.27

AP-BL2010-LI-HYT*PD-405 / 505 / 605 / 665 / 685*

VOLTAGE: 7.4V

CAPACITY: 1800mAh

TYPE: Li-Ion

DIMENSION: 8.38 * 5.22 * 2.02

**AP-BL2001-Li-HYT***TC-610 / TC-618 / TC-620 / TC-626 / TC-610P
/ Power-446*

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 10.08 * 5.22 * 1.89

**AP-BL2006-Li-HYT**

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 10.62 * 5.60 * 1.84

**AP-BL2503-Li-HYT***PD-700 / 705 / 755 / 780 / 785 / 785G / 788G*

VOLTAGE: 7.4V

CAPACITY: 2200mAh

TYPE: Li-Ion

DIMENSION: 9.56 * 5.14 * 2.22

For Vertex / Yaesu





SBR-24-LI

FT-70DE/FT2D

VOLTAGE: 7.4V
CAPACITY: 1800mAh
TYPE: Li-Ion



SBR-25-LI

FT-25/65R

VOLTAGE: 7.4V
CAPACITY: 2000mAh
TYPE: Li-Ion



FNB-12-H

FT-23 R/33 R/73R

VOLTAGE: 12V
CAPACITY: 1100mAh
TYPE: Ni-Mh
DIMENSION: 8.19 * 5.50 * 3.24



FNB-V-47-H

FT-10/40/41/50/VX-10-V/10U

VOLTAGE: 7.2V
CAPACITY: 1800mAh
TYPE: Ni-Mh
DIMENSION: 9.91 * 5.66 * 2.55



FNB-52-Li

VX-1

VOLTAGE: 3.7V
CAPACITY: 700mAh
TYPE: Li-Ion
DIMENSION: 6.77 * 1.58 * 1.85



FNB-78-H

FT-897 YAESU

VOLTAGE: 13.2V
CAPACITY: 4500mAh
TYPE: Ni-Mh
DIMENSION: 18.93 * 9.20 * 2.52



FNB-V-67-Li

VX-110 / 120 / 127 / 130 / 146 / 150 / 160 / 168 / 170 / 177 / 180 / FT60R / E / FT-120 / FT-250 / FT-270 / VX-210 / 246 / 400 / 410 / 414 / 417 / 418 / VX-420A / 424 / 427 / 428 / VX-800 / FT-60R / 250 / 250R / HX-270S / 370S / 500S / 600S / VXA-150 / 200 Aviator Pilot II / 210 / 220 Pro VI / 300 Pilot III / etc / FTA-230 / 310 / HX-270S / 370S / 500S / 600S / etc

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 9.48 * 5.83 * 1.83



FNB-V-83-H

VOLTAGE: 7.2V

CAPACITY: 1800mAh

TYPE: Ni-Mh

DIMENSION: 9.54 * 6.04 * 1.9



FNB-80-Li

VX-5R / VX-6R / VX-7R

VOLTAGE: 7.4V

CAPACITY: 1400mAh

TYPE: Li-Ion

DIMENSION: 4.85 * 5.82 * 2.05



FNB-V87-Li

VX- / 821 / 824 / 829 / 920 / 921 / 924 / 929

VOLTAGE: 7.4V

CAPACITY: 2200mAh

TYPE: Li-Ion

DIMENSION: 9.03 * 5.50 * 2.68



FNB-V-96-Li

VX-350 / 351 / 354 / 359

VOLTAGE: 7.4V

CAPACITY: 2200mAh

TYPE: Li-Ion

DIMENSION: 9.95 * 5.67 * 2.20



FNB-102-Li

VX-8E / 8R / FT1DR / FT2D

VOLTAGE: 7.4V

CAPACITY: 2000mAh

TYPE: Li-Ion

DIMENSION: 9.02 * 5.80 * 1.46



FNB-104-Li

VX- 228 / 230 / 231 / 234 / 241

VOLTAGE: 7.4V

CAPACITY: 2200mAh

TYPE: Li-Ion

DIMENSION: 9.00 * 5.70 * 2.20



FNB-V-106-H

VOLTAGE: 7.2V

CAPACITY: 1200mAh

TYPE: Ni-Mh

DIMENSION: 8.95 * 6.07 * 2.25



FNB-V-113-Li

VX-450, VX-451, VX-454,
VX-459 X1

EVX 530 / 531 / 534 / 539

VOLTAGE: 7.4V

CAPACITY: 2200mAh

TYPE: Li-Ion

DIMENSION: 10.37 * 5.80 * 2.37



FNB-V130-UNI

VX-350 / 351 / 354 / 359

VOLTAGE: 7.4V

CAPACITY: 2600mAh

TYPE: Li-Ion

DIMENSION: 10.1 * 5.51 * 1.50



FNB-132-UNI

VX-228 / 230 / 231 / 234 / 241

VOLTAGE: 7.4V

CAPACITY: 2200mAh

TYPE: Li-Ion

DIMENSION: 8.92 * 5.55 * 2.22



Indicator of
capacity

FNB-134-Li-UNI

VX-261 / VX-264 / VX-450 / VX-451 / VX-454 / VX-459 X1

EVX 530 / 531 / 534 / 539 / Series UNI

VOLTAGE: 7.4V / CAPACITY: 2600mAh

DIMENSION: 10.36 * 5.62 * 2.28

TYPE: Li-Ion

(with indicator of capacity)

Other Brands



Kirisun

KB-70-B

Kirisun PT700

VOLTAGE: 7.4V
CAPACITY: 1700mAh
TYPE: Li-Ion

Hora / Rexion / Standard / Star Hunter / Chief-Tek



BP-20-Li

RL-328

VOLTAGE: 7.4V

CAPACITY: 2200mAh

TYPE: Li-Ion

DIMENSION: 12.12 * 5.49 * 2.2



CNB-152-H

Hora C-150 / C-158 / HX-240 / Alan-42 / Alan CT-180

VOLTAGE: 12V

CAPACITY: 1100mAh

TYPE: Ni-Mh

DIMENSION: 7.72 * 5.56 * 3.30



CNB-152-SH

VOLTAGE/CAPACITY: 12V/700mAh

TYPE: Ni-Mh

DIMENSION: 4.81 * 5.55 * 3.20



PNB-414-H

VOLTAGE: 12V

CAPACITY: 700mAh

TYPE: Ni-Mh

DIMENSION: 1.47 * 5.44 * 11

PNB-417-H

VOLTAGE: 12V

CAPACITY: 1100mAh

TYPE: Ni-Mh

DIMENSION: 2.03 * 5.56 * 11

*PA-4099 / PA-4010 / PA-2010 / PA2099 /
PA4099 / PA-5499 / PA-6099 / C-112 / C-130
/ C-412 / C-430 / H-112 / H-412*

Tait

A-TOPB500-H

*TAIT ORCA 5000 SERIES
PANTHER 400 / 600 / 605*

VOLTAGE: 7.2V

CAPACITY: 2200mAh

TYPE: Ni-Mh

DIMENSION: 11.76 * 6.24 * 2.35



Puma



PUMA

Radios PUMA

VOLTAGE: 7.2V

CAPACITY: 2000mAh

TYPE: Ni-Mh

DIMENSION: 15.7 * 5.6 * 1.4

Kyodo



NH-1100-H

KG-209 / 309

VOLTAGE: 7.2V

CAPACITY: 1650 / 2200mAh

TYPE: Ni-Mh

DIMENSION: 6.50 * 3.40 * 5.65

Midland / Alan



LB-72-Li

MIDLAND CT-32 / CT-200 / CT-210 / CT-400 /
CT-410 / CT-710 /

Puxing: 777 / 728 / 888

VOLTAGE: 7.4V

CAPACITY: 1600mAh

TYPE: Li-Ion

DIMENSION: 9.14 * 5.98 * 1.78

AP-0513-H

HP-446-EXTRA / SP-400 / HP-105 / 106 / 405 /
406 / HP-105 (BP-0518)

VOLTAGE: 7.2V

CAPACITY: 1800mAh

TYPE: Ni-Mh

DIMENSION: 12.16 * 5.94 * 2.33



Compatible Chargers

Compatible chargers for Kenwood



DSK-24

KNB-14-H / 15-H

Rapid Charger

Input: DC 15V / 700mA

Charging current: 700mA $\pm$ 100mA

Constant Voltage: 6.0V $\pm$ 0.25V (Ni-MH)



DSK-35

TK-3201 / TK-3301 / TK-2301 / TK-2000 / TK-3000 / TH-K20 / TH-K40 / TK-3202 / KNB-45-Li

Rapid Charger

Input: DC 12V / 1000mA

Constant Current: Output 640mA $\pm$ 40mA

Charger Voltage: 8.5V (Li-ion)



DSK-KNB57

KNB-57-Li / KNB-55-Li / KNB-24-Li / KNB-33-Li / KNB-35-Li / KNB-26-Li

Rapid Charger

Input: DC 15V / 800mA

Output: DC 8.4V/1000mA (Li-ion)



DSK-12-KNB57

TK-2140 / 3140 / 2160 / 3160 / 2170 / 3170 / etc

NX-220 / 320 / etc.

- Trichemist -

Input: DC 15V / 800mA

Output: DC 8.4V/1000mA (Li-ion)

Multi-Slots Chargers for other brands and models upon request.
Please ask for.

Modular Charger System

for Sepura STP-8000 / 9000 / SC2020 series

DSK-STP9000

Suitable: STP8000 / 9000 / SC-2020 series



Innovative **modular system** that allows adding up to 6 slots.



You can combine our slots from 1 up to 6 units.
1/2/3/4/5/6

Accessories

Each single slot requires to add a power supply (not included**).

- **DSK-STP9000-PSU-1:** 1.5 Amps for only 1 slot**
- **DSK-STP9000-PSU-1/6:** 9.0 Amps for 2 up to 6 slots**



DSK-STP9000-PSU-1

Exclusive use for 1 single slot of our DSK-STP9000 charger



DSK-STP9000-PSU-1/6

Exclusive use for 2 or more slots up to 6 of our DSK-STP9000 chargers

Compatible chargers for Sepura

DSK-S1-SRP9100

SRP-8000 / 8030 / 9100 / 9120 / 9130

- Trichemist -

VOLTAGE: 12V

CAPACITY: 1000mAh

DIMENSION: 9.91 * 5.66 * 2.55



Compatible chargers for Vertex / Yaesu



DSK-V-67

FNB-V-67-Li

Rapid Charger

Input: DC 15V / 800mA

Output: DC 8.4V / 1000mA (Li-Ion)



DSK-V-83

FNB-V-83-H / FNB-V-57-H / FNB-V64-H

FNB-V106-H / etc

Rapid Charger

Input: DC 15V / 800mA

Output: DC 7.2V / 1000mA (Ni-Mh / Ni-CD)

DSK-UNI

FNB-V-126 / FNB-V-127 / FNB-V-128 / FNB-V-129
FNB-V-130 / FNB-V-131 / FNB-V-132 / FNB-V-133
/ FNB-V-134 /

Rapid Charger Trichemist

Compatible chargers for Motorola



DSK-GP300

AP-300-H

Input: 15V / 800mA

Output: 8.4V / 1000mA (Li-ion)

Output: 7.2V / 1000mA (Ni-CD)



DSK-GP320

MNN-4024R / JMNN-4023R / HNN-9008 / 9009 / 9010 / 9012 / 9011 / 9013 / AP-318-Li / 328-Li

- Trichemist -

Input: DC 15V / 800mA

Output: DC 8.4V / 1000mA (Li-ion)

Output: DC 7.2V / 1000mA (Ni-MH / Ni-CD)



DSK-4970

*AP-4970-L / AP-4497-LI (High Capacity)
& AP-4851H*

Rapid Charger

- Trichemist -

Input: DC 15V / 800mA



DSK-6-4970

DP-1400 / CP-040 / 080 / 140 / 150 / 160 / 180 / 200 / PR400 / EP450 / GP3188 / 3688 / etc

- Trichemist -

Input: DC 15V / 800mA

Multi-Slots Chargers for other brands and models upon request.
Please ask for.

Crane Batteries



BA-205

HBC FUB05AA / FUB05AA / FUB05XL / BA225030

VOLTAGE: 6V

CAPACITY: 2200mAh

DIMENSION: 8.20 * 5.65 * 2.45



BA-209

HBC / FUB9NM / BA209000 / BA209060 / BA209061

VOLTAGE: 6V

CAPACITY: 800mAh

DIMENSION: 5.73 * 5.63 * 1.75



BA-210

HBC FUB05AA / FUB10AA / FUB10XL / BA214061

VVOLTAGE: 2 x 6V

CAPACITY: 2200mAh

DIMENSION: 15.33 * 5.65 * 1.97



BA-210

HBC / BA223000 / BA223030

VOLTAGE: 3.6V

CAPACITY: 2200mAh

DIMENSION: 6.05 * 4.75 * 1.80

**SR-002**

SCANRECO RC400 / 590 / 592 / 960 / HMF / FASSI / PALFINGER /
EFFER / RC400 / FBS590 / 16131 / MARREL 500 / CIFA

VOLTAGE: 7.2V

CAPACITY: 3.3000mAh

DIMENSION: 15.00 * 5.0 * 2.90

**AP-BT-06K-4.8 / AP-BT-06-7.2**

BT06 / TM60 / TM61-TM62 / TM70 / TM70-1 / TM70-2

VOLTAGE: 4.8V / 7.2V

CAPACITY: 1000mAh

DIMENSION: 7.10 * 5.36 * 1.99

**HE-520**

HETRONIC / NOVA ERGO / TYP 68300520

VOLTAGE: 9.6V

CAPACITY: 750mAh

DIMENSION: 6.50 * 5.99 * 2.20

**HE-900**

HETRONIC MINI / FBH300 68300600 /
68300900

VOLTAGE: 3.6V

CAPACITY: 2200mAh

DIMENSION: 5.53 * 6.02 * 2.20

**SR-001**

PALFINGER 590 / 960 / RC400 / SCABRECO:
EFFER / FASSI / FBS590 / RC400 / 590 / 592 /
960 / HMF / MARREL 500 / CIFA

VOLTAGE: 7.2V

CAPACITY: 2200mAh

DIMENSION: 15.05 * 4.99 * 2.85

Clips Walkie-Talkies for Kenwood



C-BC-29

KNB-29 / 30 / 45

FOR KENWOOD



C-BC-80

TK-2140 / 3140 / 2160 / 3160 / 2170 / 2360

FOR KENWOOD



C-BC-230

KNB-63 / 65

FOR KENWOOD

Clips Walkie-Talkies for Motorola



C-AP-300

*AP-300 / CP-040 / DP-1400 / 2000 / 2400
/ 2600 / 3400 / 3600 / 4000 / 4600 / 4800 /
2400 / 2600 / 3400 / 3600 / 4000*

FOR MOTOROLA



C-AP-4066

AP-4066-Li / AP-4065-H / AP-8023-Li

FOR MOTOROLA



C-AP-328

AP-328 / AP-318 / AP-8023

FOR MOTOROLA

Clips Walkie-Talkies for Icom & Vertex / Yaesu



C-BP-210-H

BP-210

FOR ICOM



C-MB-133

*IC-F1000 / 2000 / IC-F295R / IC-M25
BP-280 / 278 / 279*

FOR ICOM



C-FNB-47-H

FNB-V-47-H

FOR VERTEX-YAESU

Battery Holders



BT-11

TH-671

TYPE: 6 x AA
FOR KENWOOD



FBA-10

FT-23 / 411 / 470

TYPE: 6 x AA
FOR VERTEX-YAESU



Komunica Power Accessories S.L.

Ctra. de Castellar, 537,

Pol. Ind. Can Petit

08227 - Terrassa (BCN) - SPAIN

(+34) 93 884 35 07

info@komunicapower.com

OFFICIAL DEALER / DISTRIBUIDOR

The property of mentioned brands belongs to their respective owners and are used only to show the COMPATIBILITY of our accessories. All images contained in this catalogue are protected by copyright and belongs exclusively to Komunica Power Acc.S.L.

La propiedad de las marcas mencionadas pertenece únicamente a sus propietarios y se utiliza exclusivamente para mostrar la compatibilidad de nuestros accesorios. Todas las imágenes contenidas en este catálogo tienen Copyright y pertenecen exclusivamente a Komunica Power Accessories S.L.